

# ***Jensen Delivers***

*USPS Approved **STD-4C**  
Multi-Tenant Mailboxes*



# Jensen Delivers

## It's all about delivery.

Jensen delivers reinforced stainless steel multi-tenant USPS Approved STD-4C mailboxes with Jensen's exclusive DOUBLE-HEIGHT compartments in the sizes, colors and accessories you want.

Jensen delivers...mailboxes constructed with more stainless steel and heavy-gauge aluminum components than competition for superior strength, corrosion resistance and exceptional indoor and outdoor durability.

Jensen meets and exceeds USPS STD-4C compliancy that is mandatory on all new constructions and major renovations as of October 5, 2006.

## Jensen delivers features and benefits:

- More stainless steel components than the competition
- A wide stocking inventory on popular models
- Numbers and letters can be customized to 6 digits
- USPS-1172 910A lock with three keys
- Heavy-gauge stainless steel tenant doors
- Tamper-resistant parcel lock doors
- Rugged, corrosion-resistant weatherproof powder coat finish resists scratching and vandalism
- Stainless steel hinges
- Extruded aluminum and stainless steel frame




- 1-to-10 parcel locker-to-tenant compartment ratio, in compliance with new USPS parcel locker requirement
- Meets new compartment form factor minimum size requirement of 3"h x 12"w x 15"d



- Superior Top Frame design requires less time to service or customize Tenant Door Layout in Master Doors
- Heavy-gauge Master Doors
- Master loading doors designed with vertical interlocking overlap seams to increase strength and help prevent prying
- Solid aluminum mail slot frame similar to High Security CBU design protects adjacent customer compartment and collection compartment
- USPS Arrow Lock door with quick release Master Door latch for easy access by Postal carriers
- Eliminates the vertical form factor 15"h x 5"w x 6"d design
- Strengthens security requirements for the entire receptacle
- Standardizes and improves tenant compartment lock design
- Testing requirements verify acceptability for both indoor and outdoor use
- Meets quality management systems requirement for all USPS approved mailbox manufacturers
- ADA compliant

## Standard Colors

Custom Powder coat also available



Gold

Silver

Postal Grey


Black

Sandstone


White

Bronze


*Jensen STD 4C configurations*




30 9/16"  
Model  
4216-AB




16 11/16"  
Model  
4108-A




30 9/16"  
Model  
4219-XX




16 11/16"  
Model  
4109-X




16 11/16"  
Model  
4100-AB




30 9/16"  
Model  
4217-AA




16 11/16"  
Model  
4107-A




30 9/16"  
Model  
4214-AB




30 9/16"  
Model  
4215-AA




30 9/16"  
Model  
4213-AA




16 11/16"  
Model  
4106-A



30 9/16"  
Model  
4205-XA



16 11/16"  
Model  
4102-A



16 11/16"  
Model  
4100-ABA

# **Jensen Delivers**

## **Value**

More stainless steel means more secure, more durable mailboxes at a price comparable to less robust materials.

## **Security**

Stainless steel equals security. No other company reinforces its STD-4Cs with as much stainless steel for superior anti-theft and anti-vandalism performance.

## **Quality**

ISO 9001-2100 certified, state-of-the-art facilities manufacture STD-4Cs that meet and exceed USPS requirements for security, durability and high strength material content.

## **Variety**

A wide inventory of popular sizes, a variety of customizable options and a selection of colors such as Gold, Silver, Postal Grey, Black, Sandstone, White and Bronze.

## **Models In Stock**

(TO COME)

*Consult Jensen for a complete line of mailboxes and accessories. or to order call 877-597-5671*



The power of stainless.  
The price of aluminum.™

[jensenmailboxes.com](http://jensenmailboxes.com)

## **Sales/Customer Service contact information**

P 877-597-5671

F 801-991-6121

E [sales@jensenmailboxes.com](mailto:sales@jensenmailboxes.com)